

IN THE CLAIMS

Please amend the claims as follows:

Claims 1-19 (Canceled).

Claim 20 (Previously Presented): A molding having a material thickness of at least 150 μm , and obtained from a composition comprising a polymer mixture comprising (1) an impact-modified poly(meth)acrylate polymer which is a poly(meth)acrylate matrix with elastomer particles distributed therein, and (2) a fluoropolymer, the proportion of the fluoropolymer in the polymer mixture being from 30 to 95% by weight, wherein the impact-modified poly(meth)acrylate polymer consists of from 20 to 70% by weight of the poly(meth)acrylate matrix and from 80 to 30% by weight of the elastomer particles.

Claim 21 (Previously Presented): The molding as claimed in claim 20, wherein the elastomer particles have a core of a soft elastomer phase and a hard phase bonded thereto.

Claim 22 (Previously Presented): The molding as claimed in claim 20, wherein the mean particle diameter of the elastomer particles is from 10 to 1000 nm.

Claim 23 (Previously Presented): The molding as claimed in claim 20, wherein said composition consists entirely of said polymer mixture.

Claim 24 (Previously Presented): The molding as claimed in claim 23, wherein the material thickness is from 150 to 10 000 μm .

Claim 25 (Previously Presented): The molding as claimed in claim 24, wherein the elongation at break after storage at 60°C for 10 days is at least 150%.

Claim 26 (Previously Presented): The molding as claimed in claim 24, wherein the elongation at break after storage at 60°C for 10 days is still at least 60% of the value without 10-day thermal stress.

Claim 27 (Previously Presented): The molding as claimed in claim 24, which is in the form of a film, and wherein the film is present within a membrane structure, said membrane structure comprising at least two curved films welded to one another at the edges and enclosing a cavity.

Claim 28 (Previously Presented): A process for producing the molding as claimed in claim 24, comprising thermoplastic processing, extrusion or injection molding, or solvent casting said composition.

Claim 29 (Previously Presented):. A method comprising forming the molding as claimed in claim 24 as a roofing element, façade element, or a window in a folding roof for a vehicle with foldable soft top.

Claims 30-34 (Canceled).

Claim 35 (Previously Presented): The molding as claimed in claim 20, wherein from 0.01 to 10% by weight of a light stabilizer is present therein.

Claims 36-38 (Canceled).

Claim 39 (Previously Presented):. The molding as claimed in claim 20, wherein the proportion of the fluoropolymer in the polymer mixture is from 50 to 70% by weight.

Claim 40 (Previously Presented):. The molding as claimed in claim 20, wherein the elastomer particles are present in an amount of 70 to 50% by weight of the impact-modified poly(meth)acrylate polymer.